

THE CONVERSATION

March 23 2015, 2:48pm EDT

Magnetic fields can control heat and sound

AUTHOR



Joseph Heremans

Professor of Mechanical
and Aerospace
Engineering, Physics, and
Materials Science &

Engineering at The Ohio State University



Magnets have mysterious powers – now shown to influence heat and sound. Magnet image via www.shutterstock.com.

Sound is carried by periodic vibrations of atoms in gases, liquids and solids. When we talk to each other, the vocal chords of the speaker vibrate, causing the air coming from his lungs to vibrate as well. This creates sound waves, which then propagate through the air until they hit a listener's eardrums and make them vibrate as well. From these vibrations, the listener can then reconstruct the speaker's words.

Sound is affected by the surroundings in which it travels and by the frequency of the sound waves. We design musical instruments to manipulate the sound waves they produce. Further, we know that there are sound waves that are outside the range of human hearing, such as those produced by a dog whistle. As physicists have researched sound both inside and outside the range of human hearing, interesting properties have been discovered.

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 23 MAR 2015		2. REPORT TYPE		3. DATES COVERED 00-00-2015 to 00-00-2015	
4. TITLE AND SUBTITLE Magnetic fields can control heat and sound				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Ohio State University, Department of Mechanical and Aerospace Engineering, Columbus, OH, 43210				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES The experiments were supported as part of the ARO MURI under award number W911NF-14-1-0016, US AFOSR MURI under award number FA9550-10-1-0533 (H.J.) and the NSF grant CBET-1133589 (J.P.H., R.C.M.). The theoretical work was supported by the NSF MRSEC program under grant DMR 1420451, as well as an allocation of computing time from the Ohio Supercomputing Center.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 23 MAR 2015		2. REPORT TYPE		3. DATES COVERED 00-00-2015 to 00-00-2015	
4. TITLE AND SUBTITLE Magnetic fields can control heat and sound				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Ohio State University, Department of Mechanical and Aerospace Engineering, Columbus, OH, 43210				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES The experiments were supported as part of the ARO MURI under award number W911NF-14-1-0016, US AFOSR MURI under award number FA9550-10-1-0533 (H.J.) and the NSF grant CBET-1133589 (J.P.H., R.C.M.). The theoretical work was supported by the NSF MRSEC program under grant DMR 1420451, as well as an allocation of computing time from the Ohio Supercomputing Center.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			


More than a hundred years ago, physicists understood that heat is simply the energy stored in the vibrations of atoms, and therefore realized that heat and sound are related. Now my lab showed experimentally for the first time that these atomic vibrations have magnetic properties too.

Building our knowledge of sound

In the 1930s, physicists started modeling atomic vibrations as particles. This is similar to the concept of light as both a wave and a particle we call a photon. Physicists called the sound wave particles “phonons,” derived from the Greek word for sound.

Today, physicists treat phonons as quasi-particles, having both wave and particle properties. Phonons carry both sound and heat. In metals, heat is carried primarily by the movement of electrons in the atoms. However, in all other materials, heat is carried almost exclusively by the phonons.

So the mechanical, acoustic and thermal properties of sound waves have long been established. Yet, before now, nobody ever imagined that sound waves might also have magnetic properties.



A lopsided tuning fork, made of the semiconductor indium antimonide, used in the experiment. Kevin Fitzsimons, The Ohio State University, CC BY-NC-ND

[Click to enlarge](#)

Heat, sound... and magnetism?

In the March 23 issue of *Nature Materials*, we offer experimental proof that sound waves do interact with external magnetic fields.


The experiment was carried out on a large, single crystal of a very pure semiconductor, indium antimonide, which had been cut into two unequal sections and then cooled to about -445F (-265C). A controlled amount of heat was made to flow in each section separately. At these temperatures, the phonons can be thought of as individual particles, like runners on a racetrack each carrying a little bucket of heat.

In the small section, the phonons often run into the

walls, which slows them down. The small section is used as a reference, to make the experiment independent of the other properties of the solid that might interfere. In the large section, the phonons can go faster, and they don't run into the walls as much as into each other. When we apply a magnetic field, they tend to run into each other more frequently. Because the magnetic field increases the number of collisions, it also slows the phonons down and lowers the amount of heat they carry by 12%.

We think this is due to the electrons that rotate in orbits around each atom in the solid. The orbital motion of these electrons emits a very small intrinsic magnetic field that interacts with the externally applied field – an effect called “diamagnetism.” This property exists even in substances we don't traditionally think of as magnetic, such as glass,

stone or plastic. When the atoms vibrate due to the passing of the phonons, this interaction creates a force on the atoms that makes the phonons collide with each other more often.



Artist's rendering of a phonon heating solid material. The phonon hits the center orange atom, which is attached to other atoms via spring-like bonds. The trail of the passing phonon is marked with increased magnetic field intensity, shown in green. Renee Ripley, The Ohio State University, CC BY-NC-ND

[Click to enlarge](#)

What can we do with these results?

At this point, we've just described a new concept, something that had never been thought of before. Engineers can perhaps use this concept to control heat and sound waves magnetically. Sound waves can be effectively steered already by using multiple sources of sound, as is done in ultrasound imaging systems, but controlling heat conduction is much harder.

Conversion of heat into electrical or mechanical power, as is done in engines and in power stations, supplies over 90% of the energy humanity uses. Therefore, being able to control heat conduction at will could have an enormous impact on energy production, though, obviously, applications of this emergent concept are still quite a way in the future.